


حل مشکل اتصال میکروفن در بستر مرورگر


در صورت مواجه شدن با خطای زیر هنگام اتصال میکروفن در بستر مرورگر، به شکل زیر عمل کنید



برای حل مشکل مراحل زیر را طی نمایید .

ابتدا آدرس زیر را در مرورگر وارد نمایید تا پنجره زیر باز شود .


<chrome://flags/#unsafely-treat-insecure-origin-as-secure>



در کادر مشخص شده آدرس های زیر را باید وارد کنیم . (عبارت پایین را در کادر مشخص شده عینا کپی و پیست کنید)

<http://e-learning.bzte.ac.ir/>,<http://e-learning3.bzte.ac.ir/>

ابتدا مطابق تصویر گزینه **Enabled** را انتخاب نموده و سپس دکمه **Relaunch** را بزنید .



The screenshot shows the Chrome flags page. At the top, there is a search bar and a 'Reset all' button. The first flag, 'Insecure origins treated as secure', is highlighted in yellow. Its description reads: 'Treat given (insecure) origins as secure origins. Multiple origins can be supplied as a comma-separated list. Origins must have their protocol specified e.g. "http://example.com". For the definition of secure contexts, see https://w3c.github.io/webappsec-secure-contexts/ - Mac, Windows, Linux, Chrome OS, Android'. The value field contains the URL 'http://e-learning.bzte.ac.ir/,http://e-learning3.bzte.ac.ir/'. The dropdown menu is open, showing 'Disabled', 'Enabled', and 'Default' options. A red arrow points to the 'Enabled' option. Below this, the 'Detect target embedding domains as lookalikes' flag is set to 'Default'. The 'Live Caption' flag is also set to 'Default'. At the bottom, there is a 'Relaunch' button with a red arrow pointing to it. A note at the bottom left states: 'Your changes will take effect the next time you relaunch Google Chrome.'

با تشکر

واحد فناوری و اطلاعات

مرکز آموزش عالی فنی مهندسی بوئین زهرا